





Heavy-Duty Molded Rubber Products by Mission



*If we put our name on it -
you can depend on it!*



MISSION RUBBER COMPANY

1660 Leeson Lane • P.O. Box 2349 • Corona, California 91718
Phone: US and Canada (800) 854-9991 • International (909) 736-1313
Fax: US and Canada (800) 637-4601 • International (909) 736-0481

J. E. JACKSON CORPORATION
W268 S3880 HOLIDAY HILL RD.
WAUKESHA, WI 53188
414-547-4516




MISSION LONG HAUL

ELBOWS

45° ELBOWS


Part	ID	B	C	D	R	T
45L30	3.00	5.50	1.60	1.60	3.75	.25
45L35	3.50	5.38	1.50	1.50	4.00	.25
45L40	4.00	5.50	1.46	1.46	4.25	.25
45L45	4.50	5.06	1.50	1.50	3.50	.25
45L50	5.00	5.50	1.36	1.36	4.50	.25
45L55	5.50	6.25	1.70	1.70	4.75	.25
45L60	6.00	6.50	1.74	1.74	5.00	.25
45L70	7.00	8.00	2.38	2.38	5.66	.31
45L80	8.00	8.06	2.00	2.00	6.50	.37



45° Elbow

90° ELBOWS


Part	ID	A	B	C	D	R	T
90L20	2.00	3.50	3.50	1.50	1.50	2.00	.22
90L25	2.50	4.00	4.00	1.50	1.50	2.50	.25
90L30	3.00	5.25	5.25	1.50	1.50	3.75	.25
90L35	3.50	5.50	5.50	1.50	1.50	4.00	.25
90L40	4.00	6.25	6.25	1.75	1.75	4.50	.25
90L45	4.50	5.50	5.50	2.00	2.00	3.50	.25
90L50	5.00	6.12	6.12	1.75	1.75	4.74	.25
90L55	5.50	6.50	6.50	1.75	1.75	4.74	.25
90L60	6.00	6.76	6.76	1.75	1.75	5.00	.25
90L60SR	6.00	5.00	5.00	1.50	1.50	3.50	.25
90L70	7.00	7.56	7.56	2.00	2.00	5.66	.31
90L80	8.00	8.50	8.50	2.00	2.00	6.50	.37



90° Elbow

90° COBRA ELBOW

Part	A	B	C	D	T
90CB30	3.00	3.00	5.35	1.93	.25
90CB40	4.00	4.00	6.41	2.69	.25
90CB40F	3/4" hex fitting 1/8" NPTF female THD				




90° Cobra Elbow

For sizes not found in the catalog,
CALL 800 - 854-9991 for a quote.

MISSION LONG HAUL

REDUCING ELBOWS

Part	ID1	ID2	A	B	C	D	R	T
45L60R55	6.00	5.50	6.44		1.75	1.75	4.87	.25
45L70R60	7.00	6.00	7.38		2.00	2.00	5.48	.31
90L30R25	3.00	2.50	3.00	2.38	0.50	1.50	2.00	.63
90L30R25L	3.00	2.50	3.00	3.00	1.00	1.50	2.00	.63
90L40R30	4.00	3.00	4.50	3.62	1.50	1.50	3.00	.19
90L40R35	4.00	3.50	4.50	3.62	1.50	1.50	3.00	.19
90L50R40	5.00	4.00	5.75	6.00	1.75	1.75	3.75	.25
90L55R50	5.50	5.00	6.25	6.50	2.50	2.25	4.60	.25
90L60R50	6.00	5.00	7.00	6.00	1.75	1.75	4.25	.25
90L60R55	6.00	5.50	6.75	6.75	1.75	1.75	5.00	.25
90L70R50	7.00	5.00	7.00	6.25	2.74	2.74	4.25	.25
90L70R55	7.00	5.50	7.75	6.25	4.50	4.50	3.68	.31
90L70R60	7.00	6.00	7.56	9.00	3.00	3.00	4.38	.38
90L80R70	8.00	7.00	8.50	8.50	2.00	2.00	5.50	.31




90° Reducing Elbow




MISSION LONG HAUL

HUMP HOSES & REDUCERS

Part	A	B	C	D	E	F	G	T
3H25	3.00	2.50	6.00	2.12		3.00	4.25	.25
4H3	4.00	3.00	6.00	2.52		3.00	4.25	.25
35H35	3.50	3.50	6.00	3.00	2.25	2.25	5.00	.25
4H4	4.00	4.00	6.00	2.63	2.00	2.00	5.25	.25
45H45	4.50	4.50	6.00	3.00	2.25	2.25	6.00	.25
5H5	5.00	5.00	6.00	3.00	2.25	2.25	6.00	.25
55H55	5.50	5.50	6.00	3.00	2.13	2.13	7.00	.25
6H6S	6.00	5.00	6.00	2.00	1.25	1.25	7.38	.25
6H6	6.00	6.00	6.00	3.00	2.25	2.25	7.38	.25
6H6L	6.00	6.00	6.00	3.50	2.75	2.75	7.38	.25
7H7	7.00	7.00	7.00	3.50	2.58	2.58	8.50	.25
8H8	8.00	8.00	8.00	4.00	3.00	3.00	10.67	.31
35H3	3.50	3.00	6.00	2.31	2.31	3.00	5.00	.25
4H3	4.00	3.00	6.00	2.00	2.00	3.00	6.25	.25
45H4	4.50	4.00	6.00	3.00	2.13	2.03	6.00	.25
5H4	5.00	4.00	6.00	3.00	2.12	1.81	6.25	.25
55H4	5.50	4.00	6.00	3.00	2.13	1.88	7.00	.25
55H5	5.50	5.00	6.00	3.00	2.13	1.88	7.00	.25
6H4	6.00	4.00	6.00	3.00	2.13	2.00	7.50	.25
6H5	6.00	5.00	6.00	3.00	2.13	1.88	7.50	.25
6H55	6.00	5.50	6.00	3.00	2.13	1.88	7.50	.25
7H5	7.00	5.00	7.00	3.50	2.50	2.28	8.25	.25
7H55	7.00	5.50	7.00	3.50	2.50	2.28	8.50	.25
7H6	7.00	6.00	6.00	1.75	1.95	3.00	8.75	.25
8H6	8.00	6.00	6.00	1.75	1.95	3.00	9.50	.25
8H7	8.00	7.00	6.00	1.37	1.85	3.00	9.50	.25






MISSION LONG HAUL

INSERT SLEEVES

- Allows for variation in pipe diameter and tolerance build up.
- Internal seal rings give a positive seal to piping.
- NL designates "NO LIP". It is a straight tube.
- 80R70L - "L" designates extra long insert.

Other combinations of inserts below available upon request.

Part	A	B	C	D	W
20R15	2.00	1.50	2.50	1.00	.25
20R175	2.00	1.75	2.50	1.00	.13
25R125	2.50	1.25	3.00	1.00	.63
25R20	2.50	2.00	3.00	1.00	.25
25R225	2.50	2.25	3.00	1.00	.13
30R225	3.00	2.25	3.50	1.00	.38
30R25	3.00	2.50	3.50	1.00	.25
30R275	3.00	2.75	3.50	1.00	.13
40R275	4.00	2.75	4.50	1.00	.63
40R50	4.00	3.00	4.50	1.00	.50
40R25	4.00	2.50	4.50	1.00	.25
40R275	4.00	2.75	4.50	1.00	.25
40R375	4.00	3.75	4.50	1.00	.13
45R35	4.50	3.50	5.00	1.50	.38
45R40	4.50	4.00	5.00	1.50	.25
50R40	5.00	4.00	5.50	1.50	.50
50R45	5.00	4.50	5.50	1.50	.25
50R40LN	5.00	4.50	5.50	1.50	.25
50R475	5.00	4.75	5.50	1.50	.13



Part	A	B	C	D	W
55R40	5.50	4.00	6.00	1.50	.75
65R45	5.50	4.50	6.00	1.50	.50
55R50	5.50	5.00	6.00	1.50	.25
60R50	6.00	5.00	6.50	1.50	.50
60R525	6.00	5.25	6.50	1.50	.38
60R65	6.00	6.50	7.00	1.50	.50
65R55	6.50	5.50	7.00	1.50	.50
65R60	6.50	6.00	7.00	1.50	.50
70R50	7.00	5.00	7.50	1.50	1.00
70R55	7.00	5.50	7.50	1.50	.50
70R60	7.00	6.00	7.50	1.50	.50
70R625	7.00	6.25	7.50	1.50	.38
70R65	7.00	6.50	7.50	1.50	.25
80R60	8.00	6.00	8.50	1.50	.50
80R70	8.00	7.00	8.50	1.50	.50
80R70L	8.00	7.00	8.50	1.50	.50
80R75	8.00	7.50	8.50	1.50	.25
90R60	9.00	6.00	9.50	1.50	.50

NOTE: Mission Rubber has the capacity to supply up to 18" I.D. molded rubber

MISSION LONG HAUL

TRUCK SLEEVES

Part	A	B	C	D	E	F
S400X350	4.50	4.00	4.00	3.50		.25
S500X350	5.50	5.00	5.00	3.50		.25
S600X360	6.50	6.00	6.00	3.50		.25
S625R600X325	6.75	6.25	6.00	3.25	1.50	.38
S700X350	7.50	7.00	7.00	3.50		.25
S725R700X325	7.75	7.25	7.00	3.25	1.50	.38
S800X350	8.50	8.00	8.00	3.50		.25
S900X350	9.50	9.00	9.00	3.50		.25

Sleeves available 6" to 24" I.D. • 6" to 10" high • .5" thick material

If we put our name on it -
you can depend on it!





MISSION RUBBER COMPANY

1660 Leeson Lane • P.O. Box 2349 • Corona, California 91718
Phone: US and Canada (800) 854-9991 • International (909) 736-1313
Fax: US and Canada (800) 637-4601 • International (909) 736-0481

MISSION LONG HAUL

CLAMPS



All clamps are available in
all stainless steel


MISSION

HEAVY DUTY AIR INTAKE HOSE ORIGINAL EQUIPMENT PRICE SHEET

<i>Part #</i>	<i>1-49</i>	<i>50-99</i>	<i>100</i>	<i>Qty/Box</i>	<i>Wt./Each</i>
ELBOWS					
90L20	4.12	3.72	3.45	100	.40
90L225	4.45	4.01	3.72	100	.46
90L250	5.90	5.61	5.30	80	.63
90L30	2.90	2.61	2.46	25	1.06
90L35	6.21	5.61	5.13	40	1.16
90L40	4.84	4.36	4.11	16	1.55
90L45	8.19	7.39	6.77	24	1.44
90L50	5.33	4.45	4.00	10	2.40
90L55	6.00	5.00	4.50	8	2.80
90L60	7.23	6.02	5.42	6	3.30
90L60SR	10.19	8.65	7.89	15	1.97
90L70	11.44	9.53	8.58	5	5.30
90L80	20.17	17.36	16.27	4	6.88
REDUCING ELBOWS					
90L30R25	14.40	13.00	12.28	100	.51
90L30R25L	14.70	13.21	12.48	100	.57
90L40R30	6.69	6.03	5.58	50	.77
90L40R35	6.26	5.65	5.35	24	1.45
90L50R40	6.11	5.10	4.58	10	2.3
90L55R50	9.84	8.86	8.00	18	2.27
90L60R50	6.67	5.56	5.00	6	3.30
90L60R55	7.27	6.06	5.45	8	3.32


MISSION

MISSION RUBBER COMPANY

1660 Leeson Lane • P.O. Box 2349 • Corona, California 91718

Phone: US and Canada (800) 854-9991 • International (909) 736-1313

Fax: US and Canada (800) 637-4601 • International (909) 736-0481



Part #	1-49	50-99	100	Qty/Box	Wt/Each
90L70R50	8.27	6.89	6.20	6	3.8
90L70R55	7.97	6.65	5.98	6	4.33
90L70R60	8.07	6.73	6.05	5	6.4
90L80R70	23.62	19.55	18.54	4	7.7
45 ELBOWS					
45L30	3.14	2.60	2.35	42	.74
45L35	4.91	4.43	4.07	60	.79
45L40	3.54	2.95	2.65	30	.93
45L45	7.02	6.33	5.85	45	.9
45L50	4.74	3.95	3.55	24	1.54
45L55	4.47	3.73	3.35	18	1.94
45L60	5.60	4.67	4.20	9	2.1
45L70	7.02	5.85	5.26	6	3.67
45L80	14.61	13.22	11.86	8	4.42
45L60R55	11.05	9.90	9.33	20	1.51
45L70R60	10.87	9.83	8.89	12	2.74
COBRA ELBOWS					
90CB30	5.89	5.32	4.86	45	1.11
90CB40	6.27	5.23	4.70	16	1.69
90CB40WF	10.07	8.40	7.55	16	1.75
HUMP HOSE					
3H3	4.72	4.25	4.00	60	.67
35H35	5.78	5.20	4.91	50	.79
4H4	2.87	2.39	2.15	32	.88
45H45	6.41	5.79	5.31	35	1.06
5H5	4.00	3.34	3.00	24	1.17
55H55	3.74	3.11	2.80	24	1.29
6H6	4.12	3.45	3.09	12	1.4
7H7	6.47	5.39	4.85	20	1.85
8H8	12.86	11.62	10.53	10	3.14

<i>Part #</i>	<i>1-49</i>	<i>50-99</i>	<i>100</i>	<i>Qty/Box</i>	<i>Wt./Box</i>
REDUCING HUMP HOSE					
30H25	8.32	7.49	6.76	60	.67
35H30	7.89	7.19	6.92	60	.8
40H30	8.50	7.67	7.11	60	.86
45H4	5.87	4.89	4.40	24	1.08
5H4	5.36	4.47	4.02	22	1.23
55H4	4.54	3.70	3.40	18	1.33
55H5	4.27	3.56	3.20	18	1.28
6H4	6.14	5.11	4.60	15	1.53
6H5	4.27	3.56	3.20	16	1.38
6H55	4.34	3.61	3.25	16	1.38
7H5	5.58	4.65	4.18	12	1.92
7H55	5.67	4.73	4.25	12	1.92
7H6	9.30	8.39	7.71	20	1.5
8H6	10.06	9.08	8.32	20	1.81
8H7	9.67	8.73	8.00	20	1.75
INSERTS					<i>Wt./Box</i>
20R15	2.08	1.74	1.56	40	5
20R175	2.08	1.74	1.56	40	3
25R125	2.20	1.84	1.65	30	9
25R20	2.08	1.74	1.56	30	5
25R225	2.08	1.74	1.56	30	3
30R225	2.08	1.74	1.56	30	4
30R25	2.08	1.74	1.56	25	4
30R275	2.08	1.74	1.56	25	3
40R275	2.62	2.18	1.96	60	25
40R30	2.46	2.05	1.84	60	22
40R35	2.00	1.70	1.48	60	13
45R35	2.51	2.09	1.88	36	21
45R40	2.27	1.89	1.70	36	13
50R40	2.88	2.40	2.16	32	21

<i>Part #</i>	<i>1-49</i>	<i>50-99</i>	<i>100</i>	<i>Qty/Box</i>	<i>Wt./Each</i>
50R45	2.30	1.91	1.72	32	13
50R45NL	3.00	2.50	2.25	32	13
50R475	2.30	1.91	1.72	32	8
55R40	3.65	3.05	2.74	24	23
55R45	2.74	2.28	2.05	24	17
55R50	2.38	1.98	1.78	24	10
60R50	3.20	2.67	2.40	20	16
60R525	2.94	2.64	2.20	20	14
60R55	2.43	2.03	1.82	20	10
65R525	4.78	4.30	3.58	20	21
65R55	3.90	3.50	2.92	20	17
65R60	3.10	2.58	2.32	18	10
70R50	6.19	5.15	4.64	16	25
70R55	4.47	3.73	3.35	40	49
70R60	3.50	2.91	2.62	18	17
70R65	3.30	2.75	2.47	18	10
70R625	3.43	2.86	2.57	18	14
80R60	6.42	5.35	4.81	28	51
80R70	3.80	3.36	2.84	16	17
80R70L	4.10	3.41	3.07	16	19
80R75	3.42	2.85	2.56	16	16
90R80	4.67	3.89	3.50	16	18

50R45NL IS A REDUCING INSERT 5" OD X 4 ½" ID WITH NO LIP
80R70L IS A REDUCING INSERT 8" OD X 7" ID TOTAL HEIGHT OF 2"

TERMS ARE NET 30 DAYS FOB CORONA, CA.
ALL PARTS ARE ASSORTABLE FOR QUANTITY DISCOUNT

PRICES EFFECTIVE 6/1/96



MISSION RUBBER COMPANY

1660 Leeson Lane • P.O. Box 2349 • Corona, California 91718
Phone: US and Canada (800) 854-9991 • International (909) 736-1313
Fax: US and Canada (800) 637-4601 • International (909) 736-0481




MISSION

NEW PRODUCT BULLETIN

NEW - COBRA HOSE Reducing 5" to 4"

Part	A	B	C	D	T
90CB50R40	5.00	4.00	6.44	3.19	.25
Price/ea	1-49	50-99	100+		
90CB50R40	\$6.90	\$6.20	\$5.17		




NEW - 6" HUMP HOSE

Now Available in 3 Lengths

NEW NUMBERS
 6H6 S 4" LONG
 6H6 6" LONG
 6H6 L 7" LONG


Price/ea	1-49	50-99	100+
6H6 S	\$4.72	\$4.25	\$3.55
6H6	\$4.12	\$3.45	\$3.09
6H6 L	\$5.27	\$4.74	\$3.85



STRAIGHT and STEPPED SLEEVES

Now Available up to 10" diameter

SLEEVES AVAILABLE
 • 6" to 24" I.D.
 • 6" to 10" high
 • .5" thick material



Part	A	B	C	D	E	F	Price/ea		
							1-49	50-99	100+
S400X350	4.50	4.00	4.00	3.50		.25	\$4.40	\$3.96	\$3.30
S500X350	5.50	5.00	5.00	3.50		.25	\$4.85	\$4.37	\$3.62
S600X350	6.50	6.00	6.00	3.50		.25	\$5.25	\$4.75	\$3.95
S700X350	7.50	7.00	7.00	3.50		.25	\$5.68	\$5.10	\$4.25
S800X350	8.50	8.00	8.00	3.50		.25	\$6.15	\$5.55	\$4.60
S900X350	9.50	9.00	9.00	3.50		.25	\$6.60	\$5.95	\$4.93
S425R400X325	4.75	4.25	4.00	3.25	1.50		\$4.40	\$3.96	\$3.30
S525R500X325	5.85	5.25	5.00	3.25	1.50		\$4.85	\$4.37	\$3.62
S625R600X325	6.75	6.25	6.00	3.25	1.50	.38	\$5.25	\$4.75	\$3.95
S725R700X325	7.75	7.25	7.00	3.25	1.50	.38	\$5.68	\$5.10	\$4.25
S1000X975X400	10.50	10.00	9.75	4.00			\$18.00	\$16.20	\$13.50

HOOD HOOKS / BATTERY TIEDOWNS

2900-017 5-7/8" Tiedown Hood Hook Kit

Consists of: 2900-009 5-7/8" Tiedown Strap (without anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon lock nut
 2999-035 1-5/8" Anchor Bracket
 2999-043 2-5/32" Bracket, stem-up

2900-025 5-7/8" Tiedown Hood Hook Kit

Consists of: 2900-009 5-7/8" Tiedown Strap (without anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-050 2-1/16" Bracket, stem-down

2900-215 5-7/8" Tiedown Hood Hook Kit

Consists of: 2900-207 5-7/8" Tiedown Strap (with anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-043 2-5/32" Bracket, stem-up

2900-223 5-7/8" Tiedown Hood Hook Kit

Consists of: 2900-207 5-7/8" Tiedown Strap (with anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-050 2-1/16" Bracket, stem-down

2900-231 5-7/8" Tiedown Hood Hook Kit


Consists of: 2900-207 5-7/8" Tiedown Strap (with anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-043 2-5/32" Bracket, stem-up
 2999-068 1-3/16" Bracket, stem-down
 2999-076 2" x 31 Anchor Pin

2900-314 8" Tiedown Hood Hook Kit





Consists of: 2900-306 8" Tiedown Strap (with anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-043 2-5/32" Bracket, stem-up

2900-322 8" Tiedown Hood Hook Kit

Consists of: 2900-306 8" Tiedown Strap (with anti-rattle nub)
 2999-019 5/16" 24NF x 2" Bolt with nylon locknut
 2999-035 1-5/8" Anchor Bracket
 2999-050 2-5/32" Bracket stem-down



Part No.	A	B	C	D	Anti-Rattle
2900-009	5-7/8	3-3/4	1-5/16	4-7/8	No
2900-207	5-7/8	3-3/4	1-5/16	4-7/8	Yes
2900-306	8	5-7/8	1-5/16	7	Yes



If we put our name on it –
 you can depend on it!



MISSION RUBBER COMPANY



1660 Leeson Lane • P.O. Box 2349 • Corona, California 91718
 Phone: US and Canada (800) 854-9991 • International (909) 736-1313
 Fax: US and Canada (800) 637-4601 • International (909) 736-0481



J. E. JACKSON CORPORATION
W268 S3880 HOLIDAY HILL RD.
WAUKESHA, WI 53188
414-547-4516

Mission Rubber Company INSERT SLEEVES

Allows for Variation in Pipe & Rubber Diameters




Part #	A	B	C	D	W
20R15	2.00	1.50	2.50	1.00	.25
20R175	2.00	1.75	2.50	1.00	.13
225R20	2.25	2.00	2.75	1.00	.13
25R125	2.50	1.25	3.00	1.00	.63
25R20	2.50	2.00	3.00	1.00	.25
25R225	2.50	2.25	3.00	1.00	.13
30R20	3.00	2.00	3.50	1.00	.50
30R225	3.00	2.25	3.50	1.00	.38
30R25	3.00	2.50	3.50	1.00	.25
30R275	3.00	2.75	3.50	1.00	.13
35R30	3.00	3.00	4.00	1.00	.25
40R25	3.50	2.50	4.50	1.00	.75
40R275	4.00	2.75	4.50	1.00	.63
40R30	4.00	3.00	4.50	1.00	.50
40R35	4.00	3.50	4.50	1.00	.25

Part #	A	B	C	D	W
40R375	4.00	3.75	4.50	1.00	.13
45R35	4.50	3.50	5.00	1.50	.50
45R375	4.50	3.75	5.00	1.50	.38
45R40	4.50	4.00	5.00	1.50	.25
50R40	5.00	4.00	5.50	1.50	.50
50R40NL	5.00	4.00	5.00	1.50	.50
50R433	5.00	4.33	5.50	1.50	.33
50R45	5.00	4.50	5.50	1.50	.25
50R45NL	5.00	4.50	5.00	1.50	.25
50R475	5.00	4.75	5.50	1.50	.13
55R40	5.50	4.00	6.00	1.50	.75
55R45	5.50	4.50	6.00	1.50	.50
55R50	5.50	5.00	6.00	1.50	.25
60R50	6.00	5.00	6.50	1.50	.50
60R525	6.00	5.25	6.50	1.50	.38

Part #	A	B	C	D	W
60R55	6.00	5.50	6.50	1.50	.25
65R525	6.50	5.25	7.00	1.50	.63
65R55	6.50	5.50	7.00	1.50	.50
65R60	6.50	6.00	7.00	1.50	.25
70R50	7.00	5.00	7.50	1.50	1.00
70R55	7.00	5.50	7.50	1.50	.75
70R60	7.00	6.00	7.50	1.50	.50
70R625	7.00	6.25	7.50	1.50	.38
70R65	7.00	6.50	7.50	1.50	.25
80R60	8.00	6.00	8.50	1.50	1.00
80R70	8.00	7.00	8.50	1.50	.50
80R70L	8.00	7.00	8.50	1.50	.50
80R75	8.00	7.50	8.50	1.50	.25
90R80	9.00	8.00	9.50	1.50	.50



INSERT MEASUREMENTS IN METRIC



Part #	A	B	C	D	W
20R15	51	38	64	25	6.4
20R175	51	45	64	25	3.3
225R20	57	51	70	25	3.3
25R125	64	32	76	25	16
25R20	64	51	76	25	6.4
25R225	64	57	76	25	3.3
30R20	76	51	89	25	13
30R225	76	57	89	25	9.6
30R25	76	64	89	25	6.4
30R275	76	70	89	25	3.3
35R30	89	76	102	25	6.4
40R25	102	64	114	25	19
40R275	102	70	109	25	16
40R30	102	76	76	25	13
40R35	102	89	89	25	6.4

Part #	A	B	C	D	W
40R375	102	95	114	25	3.3
45R35	114	89	127	38	13
45R375	114	95	127	38	9.6
45R40	114	102	127	38	6.4
50R40	127	102	140	38	13
50R40NL	127	102	127	38	13
50R433	127	110	140	38	8.5
50R45	127	114	140	38	6.4
50R45NL	127	114	127	38	6.4
50R475	127	121	140	38	3.3
55R40	140	102	152	38	19
55R45	140	114	152	38	13
55R50	152	127	152	38	6.4
60R50	152	127	165	38	13
60R525	152	133	133	38	9.6

Part #	A	B	C	D	W
60R55	152	140	165	38	6.4
65R525	165	133	178	38	16
65R55	165	140	178	38	13
65R60	165	152	178	38	6.4
70R50	178	127	190	38	25
70R55	178	140	190	38	19
70R60	178	152	190	38	13
70R625	178	159	190	38	9.6
70R65	178	165	190	38	6.4
80R60	203	152	216	38	25
80R70	203	178	216	38	13
80R70L	203	178	216	38	13
80R75	203	190	216	38	6.4
90R80	229	203	242	38	13

Mission Rubber Company
1660 Leeson Lane, Corona, CA • Phone: (800) 854-9991 • Fax: (800) 637-4601